

ALLIANCE SEED AAC PERFORM

AAC Perform CPSR; the name says it all. High yields, excellent standability and a great disease package, this variety has it all.

Growers will be thrilled with (AAC) Perform.

AAC Perform strengths:

- 106% of AAC Foray, 112% of AAC Penhold and 122% of Carberry
- Semi-dwarf height, 4 cm shorter than AAC Foray
- · Excellent straw strength
- R to leaf rust, stripe rust and stem rust

AAC Perform neutral traits:

- Protein slightly lower than AAC Foray Kernal size smaller than CPSR checks, not larger than Glenn and Carberry
- I resistance to common bunt, and leaf spot diseases; MS to FHB
- Maturity 1 to 2 days later than AAC Foray but similar to 5700PR
- Test weight within the range of checks

Parentage: Faller/2*5701PR

2025 MCVET CPSR Wheat Trials

Variety	Yield	Protein	Maturity +/-	Height +/-	Spike	Lodaina	Sprouting	Loose	Common	Leaf	Stem	Leaf	Stripe	FHB 2
	bu/ac	%	99 days	81 cm	Awned	Lodging	Sprouting	Smut	Bunt	Spots 1	Rust	Rust	Rust	
Accelerate	81	13.3	2	-2	Υ	VG	Р	-	S	-	R	R	R	1
AAC Rimbey VB	81	12.4	1	0	Y	G	VG	-	_	-	R	R	R	1
AAC Penhold	78	14.0	1	-10	Υ	VG	VG	- 1	R	- 1	MR	R	MR	MR
SY Rowyn	78	13.6	1	-5	Υ	VG	F		S	_	R	R	MR	MR
AAC Perform	79	12.9	3	1	Υ	VG	VP	-	- 1	-	R	R	MR	MS
Fierce VB	77	13.5	2	-3	Υ	VG	-	-	MR	-	R	MS	MS	- 1

¹ Leaf Spots rating is a combination of resistance to tan spot, spot blotch and septoria leaf disease complex. 2 Fusarium head blight (FHB) infection is highly influenced by genetics, environment and heading date. Under high levels of disease pressure, all varieties will experience yield and/or quality loss.

M=Medium, L=Late, VL=Very late, G=Good, VG = Very good, P=Poor, VP= Very Poor, F=Fair, R=Resistant, MR=Moderately Resistant,

I=Intermediate Resistance, MS= Moderately Susceptible, S=Susceptible

2025 SKVPG CPSR Wheat Trials

	Yield (%)		Protein	Resistance to									Head	Stem	Rel.	Seed	Volume	Ht
Variety	Area	Area	Frotein	Lodging	Sprouting	Stem	Leaf	Stripe	Loose	Bunt	Leaf	FHB	Awned	Solid-	Maturity	wt	Wt.	-11
	1 & 2	3 & 4	(%)	20088	op.outg	Rust	Rust	Rust	Smut		Spot		ness	ness	(days)	(mg)	(kg/hL)	(cm)
AAC Brandon (check)	100	100	14.3	F	Р	R	R	MR	MR	S	1	MR	Y	Н	101	35.7	80.7	81
Accelerate	103	108	-1	G	Р	R	R	R	-	S	-	- 1	Y	Н	-1	-4	-0.7	-3
AAC Penhold	98	98	-0.6	VG	VG	MR	R	MR	1	R	_	MR	Y	Н	-2	4.4	-0.4	-9
AAC Foray VB	102	107	-1.4	Р	Р	MR	R	_	MS	_	MS	- 1	Y	Н	1	7.2	-1.5	6
AAC Perform	108	108	-1.6	VG	VP	R	R	MR	-	_	-	MS	Υ	Н	1	0.1	-1.7	3

M=Medium, L=Late, VL=Very late, G=Good, VG = Very good, P=Poor, VP= Very Poor, F=Fair, R=Resistant, MR=Moderately Resistant, I=Intermediate Resistance, MS= Moderately Susceptible, S=Susceptible

2025 ABRVT CPSR Wheat Trials

Variety	Overall Yield	Low < 77 (bu/ac)	High <u>></u> 77 (bu/ac)	Maturity Rating (days +/-)	Protein (%)	Test Wt. (lb/bu)	TKW (g)	Height (cm)	Awn (y/n)	Lodging	Sprouting	Bunt	Stripe Rust	FHB
AAC Brandon (check)	100	100	100	104	14.0	63	39	84	Υ	F	Р	S	MR	MR
AAC Rimbey VB	106	99	110	0	-2.1	63	44	85	Υ	G	VG	_	R	- 1
AAC Penhold	101	97	104	0	-0.7	64	43	77	Υ	VG	VG	R	_	MR
Accelerate	106	102	108	0	-1.1	63	35	80	Υ	G	Р	S	R	- 1
AAC Perform	105	100	107	2	-1.6	63	40	88	Υ	G	P	_	MR	MS

M=Medium, L=Late, VL=Very late, G=Good, VG = Very good, P=Poor, VP= Very Poor, F=Fair, R=Resistant, MR=Moderately Resistant, I=Intermediate Resistance, MS= Moderately Susceptible, S=Susceptible